

KORETSKAYA, Yu.M.

Clinical aspects and morphology of malignant melanomas of the choroid according to data from the MONIKI eye clinic. Vop. klin. pat. no.2:38-45 '61 (MIRA 16:12)

1. Iz kliniki glaznykh bolezney (sav. - prof. D.I.Berezinskaya) Moskovskogo oblastnogo nauchno-issledovatel'skogo klinicheskogo instituta imeni Vladimirovskogo.

1. SAMTSEVICH, S. A.; KORETSKAYA, Z. M.; and VIZIR, A. P.
2. USSR (60)
7. "Influence of the Forest Vegetation on the Microflora of Chernozem Soils in the Black Forest", Trudy In-ta Lesovodstva AN Ukr. SSR (Works of the Institute of Forestry, Acad Sci Ukrainian SSR), Vol 1, 1949, pp 152-161.
9. Mikrobiologiya, Vol XXI, Issue 1, Moscow, Jan-Feb 1952 pp 121-132, Unclassified.

1. KORETSKAYA, Z. M.
2. USSR (600)
7. "The Effect of Forest Plantings upon the Quantity of Microflora in Steppe Soil", *Dopovidi Akad, Nauk USSR* (Papers of the Acad Sci Ukrainian SSR), No 2, 1951, p 99.
9. Mikrobiologiya, Vol XXI, Issue 1, Moscow, Jan-Feb 1952, pp 121-132, Unclassified.

KORETSKIYA, Z.M.

Influence of forest plantings on soil microflora in steppe environments.
Mikrobiologiya 21, 566-71 '52. (MLBA 5:9)
(CA 47 no.13:6589 '53)

1. Silvicult. Inst., Ukr. Acad. Sci., Kiev.

KORNEIKOVA, Z. M.

"The Effect of the Environment on the Conidial Germination of Fungi Imperfecti."
Cand Biol Sci, Inst of Botany, Acad Sci Ukrainian SSR, Kiev, 1954. (RZhBiol, No 2,
Jan 55)

Survey of Scientific and Technical Dissertations Defended at USSR Higher
Educational Institutions (13) SO: Sum. 508, 29 Jul 55

KORSTSKIY, A.

A soldier's story. Voen.znan. 31 no.9:13 3 '55. (MLRA 9:2)

1. Nachal'nik avtomotorkluba Dobrovol'nogo obshchestva sodeystviya
armii, aviatsii i flotu.
(Military education)

KORETSKIY, A.

CZECH

Emulsion method for cleaning oil tankers of oil residues. A. Taitbenan and A. Koretskiy. *Marine Technol. Flot* 1953, No. 1, p. 7; *R. Jour. Zhen.*, Khim. 1954, No. 2295. — A method is outlined for liquefying thick layers of viscous petroleum residues by emulsifying them in an aq. medium by means of colloidal bentonitic clay (I). The emulsifying action of I is based on the ability of its finest particles, with their mosaic-like surface, to stabilize an emulsion by collecting on drops of the residue and creating on their surface hydrophylic and hydrophobic areas. The ability of I to swell in water and form stable dispersions obviates the necessity of grinding the clay. The emulsifying effect of I is increased by additives, such as Fe, Al, Cr salts, mineral acids, etc., or a soap-like wetting agent. Laboratory studies under actual conditions in cleaning barges used a 0.5% suspension of I with 0.03% FeCl₃; barge compartments were flushed with a hot aq. suspension of the emulsifier at 70-80° at d. 10 atm. pressure.

M. Hosh

1. KORETSKII, A. F.; VESELOV, M. P.; Engs.
 2. USSR (600)
 4. Ventilation
 7. Using vapor-ejector ventilation in compartments of petroleum barges during cleaning. Rech. transp. 13, No. 2, 1953.
9. Monthly List of Russian Accessions, Library of Congress, April 1953, Unclassified.

KORETSKIY, A. F.

USSR/Miscellaneous

Card 1/1 : Pub. 124 - 11/24

Authors : Taubman, A. B., Dr. of Chem. Sc.; and Koretskiy, A. F.

Title : New method of scavenging petroleum tankers

Periodical : Vest. AN SSSR 9, 62-64, Sep 1954

Abstract : A new emulsion method of scavenging sea-going and river tankers, developed by specialists of the Sea and River Fleet of the USSR, is described. The basic operation consists in liquifying the thick viscous petroleum residue on bottom of the tanker and removal by a standard pump.

Institution : ...

Submitted : ...

AUTHORS: Taubman, A.B., Koretskiy, A.F. SOV-69-20-5-22/23

TITLE: The Role of the Mechanical Strength of the Stabilizing Layer in the Stability of Emulsions (O roli strukturno-mekhanicheskogo faktora v ustoychivosti emul'siy)

PERIODICAL: Kolloidnyy zhurnal, 1958, Vol XX, Nr 5, pp 676-677 (USSR)

ABSTRACT: The stabilizing action of bentonite clay on emulsions of hydrocarbons in water is here investigated. Stable emulsions could be obtained only by means of one-particle layers in the presence of adsorption layers of metallic soaps. The stabilization of emulsions by hydrophobic aluminum soaps takes place in the presence of the solid colloidal phase. A chemical adsorption layer developing under these conditions prevents the emulsion droplets from coalescing. There is 1 graph and 2 references, 1 of which is Soviet and 1 English.

ASSOCIATION: Institut fizicheskoy khimii AN SSSR, Otdel dispersnykh sistem, Moskva (Institute of Physical Chemistry of the USSR Academy of Sciences, Department of Dispersed Systems, Moscow)

SUBMITTED: June 15, 1958

1. Metallic soaps--Properties 2. Clays--Performance 3. Hydrocarbons--Stability

Card 1/1

AUTHORS: Taubman, A. B., Koretskiy, A. F. SOV/ 20-120-1-34/63

TITLE: On the Mechanism of the Emulsifying Action of Solid Emulsifiers
(O mekhanizme emulgiruyushchego deystviya tverdykh emul'gatorov)

PERIODICAL: Doklady Akademii nauk SSSR, 1958, Vol. 120, Nr 1,
pp. 126 - 129 (USSR)

ABSTRACT: First the authors mention various papers dealing with the same subject. The experiments carried out in earlier papers permit the explanation of the character of the activation of bentonite by the addition of electrolytes (FeCl_3 , $\text{Al}_2(\text{SO}_4)_3$ etc) as well as the physical and chemical foundation of the method of the emulsification of mineral oil products by means of solid emulsifiers. The authors determined the stability of emulsions produced by a thorough mechanic shaking, as well as the structural and mechanic properties of the layers between the phases as function of the content of the solid emulsifier at a constant ratio of the volumes of the liquid phases (water: oil - 1:1). Vaseline oil and carbon tetrachloride served as experimental substances. These substances had been carefully purified. The experiments are described in short. The results of the measurements show,

Card 1/3

On the Mechanism of the Emulsifying Action of Solid SOV/ 20-120-1-34/63
Emulsifiers

among others, the following: Stable emulsions can be obtained with pure vaseline oil only in the case of a relatively high concentration (4%) in the aqueous bentonite medium, which corresponds to the coagulation structure already formed in the entire volume. With decreasing concentration of the emulsifier the stability of the emulsion decreases rapidly so that rather thick layers cannot form any stable emulsions. The introduction of oleic acid into the oil considerably changes the conditions of emulsification as sodium oleate forms on the surface of the drops. The influence of such a change of the properties of the solid surface becomes noticeable to a different degree depending on the content of bentonite. Stable emulsions of oils can be obtained only on the following conditions: Bentonite is produced in the aqueous phase with volume-like coagulation structure only when structurized metal soaps of basic character are formed in the surface layer - and only on this condition it stabilizes the one-particle layer of the solid emulsifier. The author thanks P.A.Rebinder, Member, Academy of Sciences, USSR, for his interest in this paper as well as for his valuable contributions.

Card 2/3

5(4)

AUTHORS:

Koretskiy, A. P., Taubman, A. B.

SOV/20-124-2-33/71

TITLE:

On the Emulsifying Effect of Highly Dispersive Solids (Ob emul'giruyushch~~em~~ deystvii vysokodispersnykh tverdykh tel)

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 124, Nr 2, pp 358-361 (USSR)

ABSTRACT:

The stability of the emulsion was estimated on the basis of that time which is necessary for the partial destruction of the emulsion and for a separation of half of the emulsified oil in a free form. Such emulsions were considered to be stable as were not destroyed within two days. The highly dispersive particles with different dispersive nature form stable emulsions at very different concentrations of the solid phase. Infinitesimally small impurities of acid character which frequently cannot be detected at all by means of analysis (and which always exist even in purified hydrocarbon-oil) suffice for the purpose of forming a hydrophobe chemoadsorption coating on the surface of the CaCO_3 -particles which reacts easily with these particles. This coating is an adsorption layer of

Card 1/3

On the Emulsifying Effect of Highly Dispersive Solids SOV/20-124-2-33/71

Ca-oil which is necessary for structural formation. The dependence of the emulsifying effect on the hydrophobe and especially introduced additions, which is shown by a diagram, confirms what has just been said. At no concentrations of oleic acid does SiO_2 acquire the capacity of emulsifying, but TiO_2 does. By the consolidation of the particles of the emulsifier which have been rendered as hydrophobic as possible, it is possible considerably to reduce the solid phase content necessary in transition from a loose multi-layer coating to a diluted but already structured protective coating. Rendering hydrophobic of the emulsifier particles exercises a similar influence also upon calcium carbonate. The high degree of stabilization necessary for the production of stable, long-duration emulsions with small quantities of solid, hydrophile emulsifiers can be attained only by considerably strengthening the natural and not sharply marked mosaic structure of the surface of the crystal lattice of the respective particles. There are 2 figures and 10 references, 7 of which are Soviet.

Card 2/3

On the Emulsifying Effect of Highly Dispersive Solids SOV/20-124-2-53/71

ASSOCIATION: Institut fizicheskoy khimii Akademii nauk SSSR (Institute for Physical Chemistry of the Academy of Sciences, USSR)

PRESENTED: August 27, 1958, by P. A. Rebinder, Academician

SUBMITTED: August 27, 1958

Card 3/3

KORETSKIY, A. F. Cand Chem Sci -- (diss) "Study of the stabilization of emulsions with solid emulsifiers in connection with the processes of structure formation." Moscow-Novosibirsk, 1960, 22 pp (Acad Sci USSR. Inst Physical Chemistry. Inst Inorganic Chemistry, Siberian Dept), 150 copies, (KL, 30-60, 136)

"The Role of the Structuro-Mechanical Properties of Adsorbed Layers in the Stabilizing Action of Solid Emulsifiers."

report presented at the Section on Colloid Chemistry, VIII Mendeleyev Conference of General and Applied Chemistry, Moscow, 16-23 March 1959.
(Koll. Zhur. v. 21, No. 4, pp. 509-511)

TAUBMAN, A.B.; KORETSKIY, A.F.

Dispersity and stability of emulsions stabilized by solid emulsifiers. Dokl. AN SSSR 140 no.5:1128-1131 0 '61.

(MIRA 15:2)

1. Institut fizicheskoy khimii AN SSSR. Predstavleno akademikom P.A.Rabinderom. (Emulsions)

KROL', L.B., kand.tekhn.nauk; KEMEL'MAN, G.N., inzh.; KORETSKIY, A.S., inzh.

Study of the temperature control of superheated steam with recirculation of gases. Teploenergetika 8 no.5:39-45 My '61.

(MIRA 14:8)

1. Vsesoyuznyy teplotekhnicheskiy institut.
(Boilers)

KORETSKIY, B.A., inzh.; TRUBCHANINOV, A.D., inzh.

Deformations of permanent headframes during shaft sinking. Shakht.
stroi. 8 no.3:28-29 Mr '64. (MIRA 17:3)

1. Yegozovskoye shakhtostroitel'noye upravleniye.

KORETSKIY, B.A., inzh.

Preliminary cementing in sinking a mine shaft in the Kuznetsk
Basin. Shakht. stroi. 7 no.6:23-24 Je '63. (MIRA 16:7)

1. Yegozovskoye shakhtostroyupravleniye.
(Kuznetsk Basin—Shaft sinking)

VASIL'YEV, G.V., inzh.; KORETSKIY, B.A., inzh.; POLETAYEV, Ye.M., inzh.

Specialization has improved the operations of mine management.
Shakht. stroi. 8 no.8:4-5 Ag '64. (MIRA 17:9)

1.Yegozovskoye shakhtostroitel'noye upravleniye.

KCHETSKIY, B.A., insk.; TERNOVY, V.P., insk.; SHERER, I.I., tekhn.

Making the mouth of a shaft with the help of a caisson. Shakht.stroi.
9 no.5:25-26 My '65. (MIRA 13:6)

1. Yagorovskoye shakhtostroitel'noye upravleniye kombinata
Kuzbassshakhtostroy (for Sherer).

KORETSKIY, F. [Korets'kyi, F.] (selo Verguny, Cherkassovskoy oblasti)

They carry out the seven-year plan. Nauka i zhyttia 9 no.11:
28-31 N '59. (MIRA 13:3)
(Cherkassy Province--Agriculture)

KORETSKIY, G.A.

ALIKSIEVSKIY, N.Ye.; KORETSKIY, G.A.; PRUDKOVSKIY, G.P.

Automatic fixation of maximum ionisation currents in mass spectrometers. Prib.i tekhn.eksp.no.2:86-87 S-O '56. (MLRA 10:2)

1. Institut fizicheskikh problem im. S.I.Vavilova AN SSSR.
(Mass spectrometry)

L 02451-67 EWT(1) IJP(c) WW

ACC NR: AP6008080

SOURCE CODE: UR/0020/66/166/005/1088/1090

AUTHOR: Alekseyevskiy, N. Ye.; Dubrovin, A. V.; Koretskiy, G. A. 34
B

ORG: Institute of Physical Problems, Academy of Sciences, SSSR (Institut fizicheskikh problemi Akademii nauk SSSR)

TITLE: A small high-resolution mass spectrometer with a variable magnetic field for light gas analysis 21

SOURCE: AN SSSR. Doklady, v. 166, no. 5, 1966, 1088-1090

TOPIC TAGS: miniature mass spectrometer, gas analysis

ABSTRACT: The feature of this spectrometer is that the ion source and collector and the magnet are inside the vacuum chamber which is a direct extension of the high vacuum diffusion pump. The resolution of the instrument, based on the half-peak width, is 7200. A diagram of the spectrometer is shown in figure 1; dimensions are in mm. Results of a test with $\text{HHH}^+ - \text{HD}^+ - {}^3\text{He}^+$ are discussed. Presented by Academician P. L. Kapitov on 16 June 1965. Orig. art. has: 2 figures.

UDC: 621.384.8

Card 1/2

L 02451-67

ACC NR: AP6008080




Fig. 1. 1--shell; 2--high-vacuum trap; 3--diffusion pump; 4--magnet pole; 5--upper chamber; 6--ion source; 7--steel plate; 8--collector; 9--ion source electrodes; 10--ion trajectory; 11--aperture diaphragm; 12--magnet screens; 13--supporting ring; 14--output amplifier.

SUB CODE: 18,07/

SUBM DATE: 15Jun65/

ORIG REF: 005

Card 2/2 *gd*

YUFA, E.P., inzhener; KORETSKIY, G.I., inzhener; CHERNITSKIY, M.M.,
inzhener.

Running-in journals of large shafts instead of grinding. Vest.mash.
36 no.10:55 0 '56. (MLBA 9:11)
(Shafts and shafting)

KORETSKIY, G.Ya.; KRUPNOV, A.V.

Use of various types of refractories in rotary kilns. TSement
27 no.6:11-12 N-D '61. (MIRA 15:3)
(Kilns, Rotary) (Refractory materials)

SMEKHOV, M. M.; KORETSKIY, G. Ya.

New method of correcting slurry. TSement 29 no.2:14-15
Mr-Ap '63. (MIRA 16:4)

1. Sebryakovskiy tsementnyy zavod.

(Cement plants)

KORETSKIY, I

KORETSKIY, I.; SHALIMOV, A.; VIL'CHINSKIY, V.; SHTOMPEL', N.; MOLEV, G.

The regional economic councils and labor problems. Sots.trud
no.11:85-101 N '57. (MIRA 10:12)

1. Nachal'nik otдела труда i zarabotnoy platy metallurgicheskogo kombinata imeni Serova, Sverdlovskiy rayon (for Koretskiy).
 2. Nachal'nik otдела organizatsii труда tresta "Dzerzhinskruka" (for Shalimov).
 3. Nachal'nik otдела rabochikh kadrov, труда i zarabotnoy platy Zaporozhskogo sovnarkhoza (for Vil'chinskiy).
 4. Nachal'nik otдела rabochikh kadrov, труда i zarabotnoy platy upravleniya stroitel'stva i promyshlennosti stroitel'nykh materialov Zaporozhskogo sovnarkhoza (for Shtompel').
 5. Nachal'nik otдела труда i zarabotnoy platy Moldavskogo sovnarkhoza (for Molev).
- (Russia--Industries) (Labor productivity)

KORETSKIY, Il. (Rubtsovsk Altayskogo kraya)

Master of the "golden fleece." NTO 7 no.3:50-51 Mr '65.

(MIRA 18:5)

KORETSKIY, I.

Simplified accounting of work operations in mixed fodder departments.
Muk.-elev. prom. 28 no.2:29 F '62. (MIRA 15:3)

1. Glavnyy bukhgalter Tatarskogo respublikanskogo upravleniya
zagotovok.

(Feeding and feeding stuffs--Accounting)

LORETSKIY, I.M., inzhener; YEFREMOVA, P.I., inzhener; SALAMATOV, I.I.,
~~inzhener~~, redaktor; STUPIN, A.K., redaktor izdatel'stva; TIKHANOV,
A.Ya., tekhnicheskii redaktor

[Apparatus for processing rubber mixtures and plastic materials]
Oborudovanie dlia obrabotki resinovykh smesei i plasticheskikh mass;
katalog-spravochnik. Moskva, Gos.nauchno-tekhn. izd-vo mashino-
stroit. lit-ry, 1957. 105 p. (MLBA 10:8)

1. Russia (1923- U.S.S.R.) Glavnoye upravleniye khimicheskogo
mashinostroyeniya
(Plastics) (Rubber)

BORISOGLEBSKIY, B.N., kand. tekhn. nauk, red.; VINOGRADOV, Yu.M.,
kand. tekhn. nauk, red.; GALITSKIY, B.A., red.;
GORYAINOVA, A.V., kand. tekhn. nauk, red.; ZHEREBTSOV,
A.N., red.; KORETSKIY, I.M., red.; MAKAROVA, N.S., red.;
MORDOVSKIY, S.I., kand. tekhn. nauk; SALAMATOV, I.I.,
doktor tekhn. nauk; SHVARTS, G.L., kand. tekhn. nauk,
red.; YUKALOV, I.N., kand. tekhn. nauk, red.; YUSOVA, G.M.,
kand. tekhn. nauk, red.; VASIL'YEVA, G.N., red.

[Manufacture of filters in the U.S.S.R.; collection of
reports at the united session of the scientific and tech-
nical councils of the All-Union Scientific Research In-
stitute of Chemical Machinery, the Ukrainian Scientific
Research Institute of Chemical Machinery and the technical
council of the Ural Chemical Machinery Plant] Fil'trostroenie
v SSSR; sbornik dokladov na ob"edinennoi sessii nauchno-
tekhnicheskikh sovetov Niikhimmasha, Ukrniikhimmasha i tekhnicheskogo soveta zavoda "Uralkhimmash." Moskva, Otdel
nauchno-tekhn. informatsii, 1963. 107 p. (MIRA 17:12)

1. Nauchno-issledovatel'skiy institut khimicheskogo mashino-
stroyeniya (for Borisoglebskiy, Mordovski).

KORETSKIY, I.M.; LEVIN, A.N.; SHERYSHEV, A.A.

Equipment for manufacturing plastics products. Plast. massy
no.3:1-3 '65. (MIRA 18:6)

RUMYANTSEV, O.M., redaktor; KORETS'KIY, L.M., redaktor; KUGUKALO, I.A., redaktor; PUSTOKHOD, P.I., redaktor; ROMANENKO, I.N., redaktor; MUSNIK, N.I., redaktor; TURBOVS'KIY, I.L., tekhnicheskii redaktor.

[Outline of economic geography of the Ukrainian Soviet Socialist Republic] *Narysy ekonomichnoi geografii Ukrainy's'koi Radians'koi Sotsialistichnoi Respubliki*. Kyiv, Vyd-vo Akademii nauk Ukrainy's'koi SSR. Vol. 2. 1952. 566 p. (MLRA 8:2)

1. Akademiya nauk URSR, Kiev, Institut ekonomiki.
(Ukraine--Economic geography)

DARAGAN, M.V.; ANDREYEV, M.B.; KOHUTSKIY, L.M., kandidat ekonomicheskikh nauk, redaktor; GOMEL'SKAYA, I.G., redaktor; ZHUKOVSKIY, A.D., tekhnicheskii redaktor

[Problems in accounting and statistical work at industrial enterprises; example of metal working and wagon building branches of local industries] Voprosy ucheta i statistiki truda na promyshlennom predpriyatii; na primere metalloobrabatывaiushchei i obozostroitel'noi otraslei mestnoi promyshlennosti. Kiev, Izd-vo Akademii nauk USSR, 1955. 103 p.

(MIRA 9:3)

(Accounting)

KORETSKIY, L.M., kandidat ekonomicheskikh nauk; MNEZHVINSKAYA, L.K.

New wall map representing the economic geography of the Ukraine and the Moldavian S.S.R. used in secondary schools. Geod. i kart. no.3: 54-57 My '56. (MLRA 9:10)
(Ukraine--Economic geography) (Moldavia--Economic geography)

Here + sky, L.M.

VIRNIK, D.F. [Virnyk, D.F.]; didpovidal'niy red.; KORETSKIY, L.M. [Korets'kyi, L.M.], red.; KUGUKALO, I.A. [Kuhikalo, I.A.], red.; KOZAKIVICH, T.A., red, vid-va; SIVACHENKO, Ye.K., tekhn.red.

[The Soviet Ukraine] Radiants'ka Ukraina. Kyiv, 1957. 290 p.
(MIRA 11:7)

1. Akademiya nauk URSS, Kiyev. Institut ekonomiki
(Ukraine)

KORETSKIY, L.M., kand. ekon. nauk; PRIMAK, K.V., kand. ekon. nauk.

"Navigation on the small rivers of the Ukraine" by B. A. Pyshkin,
N.V. Lebedich. Reviewed by L.M. Koretskii, K.V. Primak. Rech. transp.
17 no.12:55-56 D '58. (MIRA 12:1)

(Ukraine--Inland navigation)
(Pyshkin, B.A.) (Lebedich, N.V.)

PRIMAK, Konstantin Vladimirovich [Prymak, K.V.]; KORETSKIY, L.M.
[Korets'kyl, L.M.], kand.ekonom.nauk, otv.red.; KUCHER, V.I.,
red.izd-va; MATVIYCHUK, O.O., tekhn.red.

[Utilization of water resources of Transcarpathia in the national
economy] Narodnohospodars'ke vykorystannia vodnykh resursiv
Zakarpattia. Kyiv, Vyd-vo Akad.nauk URSR, 1960. 51 p.

(MIRA 14:4)

(Transcarpathia--Water resources development)

KORETSKIY, L.M. [Korets'kiy, L.M.], kand.ekon.nauk, otv.red.;
YAKIMENKO, N.K. [Iakimenko, N.K.], red.izd-va; MATVIYCHUK, O.O.,
tekhn.red.

[Problems in the economy and organization of water supply and
irrigation; exemplified by studies in Odessa Province] Pytannia
ekonomiky i organizatsii vodopostachannia ta zroshennia; na
prykhladi Odes'koi oblasti. Kyiv, Vyd-vo Akad.nauk URSR, 1960.
74 p. (MIRA 13:5)

1. Akademiya nauk USSR, Kiyev. Institut ekonomiki.
(Odessa Province—Water supply, Rural)

KORETSKIY, L.M.; VELICHKO, I.A.

"Concerning the Economic Division of the Ukrainian SSR."

report presented at the 3rd Congress of the Geographical Society of the USSR, Kiev,
30 Jan- 7 Feb 60

KUGUKALO, I.A.; KORETSKIY, L.M.; VELICHKO, I.A.; KONSTANTINOV, O.A.,
red.

[Economic regionalization of the Ukrainian S.S.R.; materials
for the 3d Congress of the Geographical Society of the U.S.S.R.]
Ob ekonomicheskoy raionirovani Ukrainskoy SSR; materialy k III
s"ezdu Geograficheskogo obshchestva Soluza SSR. Leningrad, Geogr.
ob-vo SSSR, 1959. 16, 2 p. (MIRA 15:3)
(Ukraine--Economic zoning)

KUGUKALO, I.A. [Kuhukalo, I.A.], kand. ekon. nauk; KORETSKIY, L.M. [Korets'kyi, L.M.]; LIPSKIY, V.M. [Lips'kyi, V.M.]; KOSTENKO, N.K.; SHKURATOV, O.I.; LINCHEVSKAYA, V.O. [Linchevs'ka, V.O.]; DAVIDENKO, O.P. [Davydenko, O.P.]; VOLOBOY, P.V.; PUGHKO, Yu.S.; KONSEVICH, A.I. [Konsevych, A.I.]; KOPACHINSKAYA, N.I. [Kopachyns'ka, N.I.]; LANDYSH, B.O., red.; DAKHNO, Yu.B., tekhn. red.

[Trends in the specialization and comprehensive development of the Kiev Administrative Economic Region] Napriamy spetsializatsii i kompleksnoho rozvytku Kyivs'koho ekonomichnoho administratyvnoho raionu. Kyiv, Vyd-vo Akad. nauk URSR, 1962. 308 p. (MIRA 16:3)

1. Akademiya nauk URSR, Kiev. Instytut ekonomiky. (Kiev Economic Region--Industries)

KORETSKIY, I.M. [Korets'kiy, I.M.]

Special features of industrial development in the Polish zone
of the Ukrainian S.S.R. Geog. zhurn. no.5:60-78 '62.
(MLA: 17:12)

KORETSKIY, M.

The press as an organizer. Sov. profsoiuzy 7 no.17:28-29 S '59.
(MIRA 12:11)

1.Redaktor zavodskoy mnogotirazhnoy gazety "Za ural'skiy alyuminiy"
Ural'skogo alyuminiyevogo zavoda.
(Employees' magazines, handbooks, etc.)

KORETSKIY, M.A.

Repairing ties on the Pomoshniansk line. Put' i put. khoz.
no.3:22 Mr '58. (MIRA 11:4)

1. Zamestitel' nachal'nika distantsii, stantsiya Pomoshnaya Odesskoy
dorogi.
(Railroads--Ties)

KORETSKIY, M.F.

Primary surgical treatment of wounds with plastical surgery of skin defects by means of an attached skin flap. Ortop., travm. i protez. no.6:68-69 N-D '55. (MLBA 9:12)

1. Iz 2-y Sumskoy bol'nitsy (glavnyy vrach - V.N.Aksenenko)
(SKIN TRANSPLANTATION
undetached flaps in surg. of wds)
(WOUNDS AND INJURIES, surg.
undetached skin flaps)

KOROTSKIY, M.F.

Arthroplasty of the elbow joint. Ortop.travm. i protez. 17 no.6:93
N-D '56. (MIRA 10:2)

1. Is 2-y bol'nitsy goroda Sany (flavnyy vrach - V.H.Aksenenko)
(ELBOW--SURGERY)

KORETSKIY, M. I., Cand Med Sci -- "~~Apparatuses of~~ Artificial
apparatus in the respiration *of* ~~in~~ reviving infants born in asphyxia." Khar'kov, 1961.
(Khar'kov) State Med Inst) (KL, 8-61, 261)

- 474 -

MATVEYEVA, V.F., prof.; KORETSKIY, M.I., kand. med. nauk

Asphyxia of the newborn and its treatment. Akush. i gin. no.6:12-20
N-D '63. (MIRA 17:12)

1. Iz akushersko-ginekologicheskoy kliniki (zav. prof. V.F.Matveyeva)
Khar'kovskogo meditsinskogo instituta.

KORETSKIY, M.I., ordinator

Resuscitation of newborn subject to asphyxia neonatorum by means of apparatus used in artificial respiration. Akush. i gin. 37 no.1:31-36 '61. (MIRA 14:6)

1. Iz kafedry akusherstva i ginekologii (sav. - prof. V.F. Matveyeva) pediatricheskogo fakul'teta Khar'kovskogo meditsinskogo instituta i akusherako-ginekologicheskogo otdeleniya 1-y klinicheskoy bol'nitsy Khar'kova (glavnyy vrach A.G. Garm'ya).

(ASPHYXIA NEONATORUM) (RESPIRATORICS)

KUKHAREV, M.N., kand.tekhn.nauk; STARIKOV, N.I., inzh.; KORETSKIY, N.I., inzh.

Expediency of changing the form of the cutoff window in the sleeve
of a fuel pump. Trakt. i selkhoz mash. 32 no.3:14-15 Apr '62.
(MIRA 15:2)

1. Voronezhskiy sel'skokhozyaystvennyy institut.
(Tractors--Fuel systems)

IGNATOK, A.I., inzh.; SHIFMAN, G.M., kand. med. nauk, red.; KORETSKIY,
V.A., starshiy inzh., red.; SHULENIN, N.A., red.; MIKHAYLOVA, V.L.,
 red.; KOGAN, G.M., starshiy inzh., red.; NARBKOVA, N.N., starshiy
 inzh., red.; SIDOROKHIN, S.S., starshiy inzh., red.; SOROKINA, G.Ye.,
 tekhn. red.

[Safety and industrial sanitation regulations for founding shops in
 the machinery industry] Pravila tekhniki bezopasnosti i proizvodstven-
 noi sanitarii v liteynom proizvodstve mashinostroitel'noi promyshlen-
 nosti. Utverzhdeny Prezidiumom TsK Profsoyuza rabochikh mashinostroyeniia
 19 noiabria 1958 goda.... Moskva, Gos. nauchno-tekhn. ind-vo mashino-
 stroit. lit-ry, 1960. 67 p. (MIRA 14:9)

1. Profsoyuz rabochikh mashinostroyeniya SSSR. 2. Glavnyy tekhnicheskii
 inspektor Tsentral'nogo komiteta profsoyuza rabochikh mashinostroyeniya
 (for Ignatok, Mikhaylova). 3. Moskovskiy institut okhrany truda Vse-
 soyuznogo tsentral'nogo soveta profsoyuzov (for Shifman). 4. Moskov-
 skiy zavod "Stankolit" (for Koretskiy). 5. Uchenyy sekretar'
 NIITLITMASHa (for Shulenin). 6. Gosudarstvennyy institut po proyektii-
 rovaniyu stankostroitel'nykh, instrumental'nykh, abrazivnykh zavodov i
 zavodov kuznechno-pressovogo mashinostroyeniya (for Narbekova). 7. Mo-
 skovskiy avtozavod im. Likhacheva (for Kogan). 8. Gosudarstvennyy ko-
 mitet Soveta Ministrov SSSR po sudostroyeniyu (for Sidorochkin).
 (FOUNDING—SAFETY MEASURES) (FACTORY SANITATION)

IGNATOK, A.I., inzh.; SHIFMAN, G.M., kand. med. nauk, red.; KORETSKIY, V.A., starshiy inzh., red.; SHULENIN, N.A., red.; MIKHAYLOVA, V.L., tekhn. inspektor, red.; KOGAN, G.M., starshiy inzh., red.; NARBKOVA, N.N., starshiy inzh., red.; SIDORCHIKIN, S.S., starshiy inzh., red.; SMIRNOVA, G.V., tekhn. red.

[Regulations on safety measures and industrial sanitation in foundry practice in the machinery industry] Pravila tekhniki bezopasnosti i proizvodstvennoi sanitarii v liteinom proizvodstve mashinostroitel'noi promyshlennosti. Uverzhdeny Prezidiumom TsK Profsoyuza rabochikh mashinostroeniia 19 noiabria 1958 goda... Moskva, Mashgiz, 1961. 69 p. (MIRA 15:6)

1. Profsoyuz rabochikh mashinostroyeniya SSSR. 2. Glavnyy tekhnicheskii inspektor Tsentral'nogo komiteta profsoyuza mashinostroyeniya SSSR (for Ignatok). 3. Moskovskiy institut okhrany truda Vsesoyuznogo tsentral'nogo soveta profsoyuzov (for Shifman). 4. Moskovskiy zavod "Stankolit" (for Koretskiy). 5. Uchenyy sekretar' Nauchno-issledovatel'skogo instituta liteynogo mashinostroyeniya i liteynoy tekhnologii (for Shulenin). 6. Tekhnicheskii inspektor Tsentral'nogo komiteta profsoyuza mashinostroyeniya SSSR (for Mikhaylova). 7. Moskovskiy avtozavod im. Likhacheva (for Kogan). (Continued on next card)

IGNATOK, A.I.--- (continued) Card 2.

8. Gosudarstvennyy institut po proyektirovaniyu stankostroitel'-
nykh, instrumental'nykh, abrazivnykh zavodov i zavodov i zavodov kuz-
nechno-pressovogo mashinostroyeniya (for Narbekova). 10. Gosu-
darstvennyy komitet Soveta Ministrov SSSR po sudostroyeniyu (for
Sidorochkin).

(Founding—Safety measures)

KORETSKIY, V.I.

Standardization control at the Volgograd Tractor Plant.
Standartizatsiia 29 no.1:54 Ja '65.

(MIRA 18:4)

UL'YANOVA, Nina Nikolaevna [Ul'ianova, N.M.]; KORETSKIY, V.M.
[Korets'kiy, V.M.], akademik, otv. red.; VAINSHTEYN,
Sh.I., red.

[The International Labor Organization and its conventions]
Mizhnarodna organizatsiia pratsi ta ii konventsii. Kyiv,
Naukova dumka, 1964. 110 p. (MIRA 17:9)

1. Akademiya nauk Ukr.SSR (for Koretskiy).

KORNETSKIY, Vladimir Mikhaylovich, 1890-.

[Problem of illegality in testing thermonuclear weapons on the high seas] K voprosu o protivopravnosti ispytaniy termoyadernogo oruzhiya v otkrytom more. [Leningrad, 1957] [100]-106 p. (MIRA 11:10)
(Atomic weapons—Testing)

Translation from: Referativnyy zhurnal, Metallurgiya, 1957, Nr 10, p 265 (USSR) SOV/137-57-10-20256

AUTHOR: Koretskiy, Yan.

TITLE: High-quality Tool Steel (Kachestvennaya instrumental'naya stal')

PERIODICAL: Chekhosl. vnesh. trgovlya, 1956, Nr 2

ABSTRACT: A description is provided of the inventory and purpose of tool steel (TS) (composition not indicated) produced by the Czechoslovak "Pol'dina Gut" Plant.

K.M.

Card 1/1

KORETSKIY, Ya., inzh.; SYUNDYUKOV, B., inzh.

Cellular materials are insulation for roofs of industrial buildings.
Na stroi. Ros. 3 no.1:28 Ja '62. (MIRA 16:5)

1. Trest Gor'kovgasstroy.
(Insulated materials) (Roofs)

24.6110

26641
S/051/61/011/003/002/003
E032/E314

AUTHORS: Kagan, Yu.M. and Koretskiy, Ya.P.

TITLE: A Direct Method for Measuring the Mean Half-life
of Excited States of Ions

PERIODICAL: Optika i spektroskopiya, 1961, Vol. 11, No. 3,
pp. 308 - 311

TEXT: In this method, an electron beam is used to ionise
and excite gas molecules so that ions in excited states are
produced. If the gas pressure is such that the half-life of
the excited ion is smaller than the average time between
collisions of the ion with the gas atoms, and if there is a
constant electric field in the region where the ions are
produced, then the excited ions will have a preferred direction
of motion. By measuring this velocity one can determine the
average half-life of the excited ions. The relation between
the ion drift velocity \bar{v}_2 and the half-life in the excited
state is (Ref. 4): Yu.Kagan, V.Perel'. Vestn. LGU, No.16, 49, 1959)
$$\bar{v}_2 = \tau \frac{eE}{M}$$

Card 1/4

26641

S/051/61/011/003/002/003
E032/E314

A Direct Method for

where e and M are the charge and mass of the ion and E is the electric field. The average drift velocity \bar{v}_2 can be measured from the Doppler shift of the ion line, i.e.

$$\delta\lambda = \lambda \frac{\bar{v}_2}{c} = \lambda \tau \frac{eE}{Me} \quad (2) \quad \checkmark$$

In the present work, the authors have used the apparatus shown schematically in Fig. 1. The source of electrons was in the form of the tungsten cathode K , which was a spiral 1.4 cm long and 0.5 cm in diameter. The wire diameter was 0.25 mm and the heating current 5 A. The positive extracting electrode A_1 was at a distance of 2 mm from the cathode. The second positive electrode A_2 was at a distance of 2 mm from A_1 . The apertures in A_1 and A_2 were rectangular ($0.4 \times 1 \text{ cm}^2$). The collector A_3 and the anode A_2 .

Card 2/4

A Direct Method for

26641
S/051/61/011/003/002/003
E032/E314

were at some potential. Ions produced as a result of collisions between the electrons and the atoms experienced the field between the grids C_1 and C_2 (0.5 mm mesh). The potential between A_2 and K was about 250 V and the electron current through the gun was about 5 mA. The field strength between C_1 and C_2 was 120 V/cm. The tube was filled with spectroscopically pure helium at a pressure of 3×10^{-2} mm Hg). The line He II $\lambda = 4686 \text{ \AA}$ was investigated with the aid of a glass two-prism spectrograph. A Fabry-Perrot etalon was placed between the collimator and the prisms (spacing 5 and 10 mm). The small Doppler shifts were measured by the method described by Frish and Kagan (Ref. 5 - ZhETF, 17, 577, 1947). Half-lives between 0.7×10^{-9} and 1.1×10^{-9} sec were obtained. These are in agreement with quantum-mechanical estimates.

Card 3/4

L 14386-65 EMT(1)/DWO(R)/EPA(EP)-2/EPA(EP)-2/EEG(t)/T/EGG(R)-2/EGG(R)-2
 Po-6/Pa-6/Pab-10/P1-4 LJP(c)/AEGG(R)/AFRI/EST/AEGG(R)/EGG(R)/AEP(R)-3/
 ACCESSION NR: AP4045279 AFETP/EGG(R)/EGG(R)/0057/64/034/009/1677/1682
 AT

AUTHOR: Dykshits, D. M.; Koretskiy, Ya. P

TITLE: Experimental investigation of an induction discharge

SOURCE: Zhurnal tekhnicheskoy fiziki, v. 34, no.9, 1964, 1677-1682

TOPIC TAGS: plasma source, induction plasma gun, plasma jet

ABSTRACT: The present experiments were undertaken in view of the heightened interest in electrodeless techniques for producing plasmas (arc-type plasma sources have a number of serious shortcomings). The paper gives the results of investigation of the parameters and conditions of formation of a constricted induction discharge. The experimental arrangement is diagramed in the figure (Enclosure). The high-frequency generators were assembled about a commercial LGZ-60 (40 kw output power) or a GL-15H (10 kw) oscillator. The frequency was varied in the range from 290 to 3300 kc by changing the anode and load circuits of the oscillators. The inert gas (argon) pressure was varied from 200 to 1500 mm Hg; the gas flow, from 2000 to 10,000 liters per hour. The quantities measured were the diameter of the plasma jet, the

Card 1/4

L 14386-65

ACCESSION NR: AP4045279

temperature distribution in the jet, the electron concentration in the plasma, and the power input into the discharge. The temperature was determined from the intensity of the continuous spectrum; the electron concentration was evaluated by spectroscopic observation. A photograph of the constricted plasma jet is reproduced. The experimental results are tabulated and presented in the form of curves. It was found that it is feasible under the above described conditions to obtain a stable plasma jet isolated from the chamber walls and having a temperature of about 10^4 degree K. The diameter and temperature of the plasma jet in the investigated range do not depend on the chamber diameter or gas pressure and flow rate (the gas stream only serves to localize the jet along the discharge tube axis). The jet diameter is inversely proportional to the square root of the frequency. An induction plasma gun has the advantages over the arc type sources since it is stable over longer periods, yields cleaner plasma and the temperature profile of its cross section has a flat action. "In conclusion, we express our deep gratitude to A.N. Zaifdel' for valuable suggestions and to V. Ye. Golant for his interest in the work and discussion of the results." Orig. art. has: 8 formulas, 1 table and 3 figures.

Card 2/4

L 14386-65

ACCESSION NR: AP4045279

ASSOCIATION: none

SUBMITTED: 12 Nov 63

SUB CODE: ME

NO REF SOV: 004

ENCL: 01

OTHER: 004

Card 3/4

L 14386-65
ACCESSION NR: AP 045279

ENCLOSURE: 01




Fig. 1. Diagram of apparatus: 1 - GL-15 M or LGZ-60 oscillator, 2 - tank with argon, 3 - reducing valve, 4 - RS-5 rotameter, 5 & 6 - pressure gages, 7 - quartz or Pyrex discharge tube, 8 - induction coil, 9 - rubber plug with water-cooled copper tube for drawing off gas, 10 - shut-off valve, 11 - VU-1 roughing pump, 12 - lens, 13 - ISP-51 spectrograph, 14 - wattmeter, 15 - anode transformer, 16 - thermoelectric ammeter, 17 - electrostatic voltmeter.

Card 4/4

KOROV, Gavril Ivanovich; ANDREYEV, V.N., doktor biologicheskikh nauk,
redaktor; VOROB'YEV, F.I., redaktor; CHUMAYEVA, Z.V., tekhnicheskij
redaktor

[Fodder and pasture for northern reindeer] Korma i pastbishcha
severnogo olenia. Pod red. V.N.Andreeva. Moskva, Gos. izd-vo
selkhoz. lit-ry, 1956. 98 p. (MLRA 9:12)
(Reindeer)

KOREVA, L.D., meditsinskaya sestra (Moskva)

Exercise therapy in cardiovascular diseases (work with patients)
Med.sestra 15 no.9:24-25 8 '56. (MLRA 9:11)

(EXERCISE THERAPY)

(CARDIOVASCULAR SYSTEM--DISEASES)

KOREWIA
 COUNTRY : Poland
 CATEGORY : B-8
 RES. JOUR. : RZKham., No. 21 1959, No. 74201
 AUTHOR : Szychlineki, J., Latowski, T., and Korewa, R.
 INST. : Not given
 TITLE : Study of Equilibria in the System $Pb(4+)-Cl^-$
 ORIG. PUB. : Roczniki Chem, 32, No 5, 1013-1023 (1958)
 ABSTRACT : The solubility (in mola/liter) of the following chloroplumbates has been determined in acid NaCl solution having a total Cl^- concentration of 4 gm-equiv/liter: potassium 0.049, ammonium 0.049, ethylamine 0.024, quinoline 0.00048, and 8-hydroxy-quinoline 0.00064. The addition of electrolytes (HCl, NaCl, KCl) lowers the solubility, apparently because of the bonding of water during solvation. Diethylethanolamine, diethanolamine, and triethanolamine do not form difficulty soluble chloro-

CARD: 1/3

35

RODZIEWICZ, Włodzimierz; KOREWA, Ryszard

Double and complex diazonium salts. Pt. 1. Roczniki chemii 37 no.11:
1387-1395 '63.

1. Department of Inorganic Chemistry, Technical University, Gdansk,
and Department of Inorganic Chemistry, Normal School, Gdansk.

KOREWA, Ryszard

Double and complex diazonium salts. Pt. 3. Roczniki chemii 37 no.12:
1565-1570 '63.

1. Department of Inorganic Chemistry, Teachers College, Gdansk.

JASINSKI, Tadeusz, doc. dr inz.; SMAGOWSKI, Henryk, mgr; KOREWA, Ryszard, dr

Titration of complex salts with anions of the MoCl_6^{2-} and MoBr_6^{2-}
type in basic organic solvents. Chem anal 9 no.2:343-347
'64.

1. Department of Inorganic Chemistry, School of Pedagogy, Gdansk.

DOBROWOLSKI, Jan; KOREWA, Ryszard

Research on some complex compounds containing TeCl_6 anion. Roczniki chemii 33 no.6:1459-1464 '59. (EEAI 9:9)

1. Katedra Chemii Nieorganicznej Wyższej Szkoły Pedagogicznej,
Gdańsk.
(Tellurium chloride) (Anions)

KOROWA, RYSZARD

Distr: 4E2c(1)/4E3d

7
 ✓ Diazonium hexachlorotellurites. Jan Dobrowolski and Ryszard Korowa (Wyższa Szkoła Pedagogiczna, Gdańsk, Poland). *Roczniki Chem.* 34, 387-74 (1960) (English summary). — The following yellow cryst. diazonium hexachlorotellurites (I) were obtained from solns. of hexachlorotellurous acid with the resp. diazonium chlorides in HCl at 0°: $(PhN_2)^+$, $(C_6H_5N_2)^+$, $(m-O_2NC_6H_4N_2)^+$ (II), p -II, o -II, and m - and p - $ClC_6H_4N_2$ $TeCl_6$. I were more sol. than analogous salts with an aromatic or heterocyclic cation but less sol. than salts contg. an inorg. cation. Thermal stability of I increased with the size of the cation and in the presence of NO_3 and Cl group. The resistance to hydrolysis depended on the basic character of the substituent. A. Kreglewski

4
 1-BW (BW)
 1-JA 5 (18)
 1-KOW
 2

KOREWA, Ryszard, dr.

Synthesis and properties of diazo complex salt of MeCl_6^{2-}
and MeBr_6^{2-} type anions. Wiad chem 17 no.2:126-129
F '63.

KOREWA, Ryszard; RODZIEWICZ, Włodzimierz

Double and complex diazonium salts. Pt. 2. Roczniki chemii 37 no.6:
615-620 '63.

1. Department of Inorganic Chemistry, Normal School, Gdansk, and
Department of Inorganic Chemistry, Technical University, Gdansk.

KOREWA, Witold, prof.

Calculation of structural design based on technical and economic indexes. Przegl mech 22 no. 13:399-401 10 J1 '63.

1. Kierownik Katedry Czesci Maszyn, Wydzial Mechaniczny, Politechnika, Lodz.

Korevaar, J.

Korevaar, J. Functions of exponential type bounded on
sequences of points. Ann. Soc. Polon. Math. 22 (1949),
207-234 (1950).

This is identical with part II of the author's thesis
[Approximation and interpolation applied to entire func-
tions; Thesis, University of Leiden, 1949; these Rev. 10,
694].
I. M. Sheffer (State College, Pa.).

Source: Mathematical Reviews,

Vol. II No. 9

(8m)

KOREYEV, I.F.; VZNUZDAYEVA, A.N.; BEZRUCHENKO, Z.A., mashinist-operator

In the merchant shape rolling mill at the Kuznetsk Metallurgical Combine. Metallurg 7 no.8:34 Ag '62. (MIRA 15:9)

1. Sekretar' partiynogo byuro Kuznetskogo metallurgicheskogo kombinata (for Koreyev). 2. Predsedatel' tsekhovogo komiteta sortoprokatnogo tsekha Kuznetskogo metallurgicheskogo kombinata (for Vznuzdayeva). 3. Brigada No.1 stana 250 Kuznetskogo metallurgicheskogo kombinata (for Bezruchenko).
(Novokuznetsk--Rolling mills)

KOREYEVA, A., zaveduyushchiy.

Second conference of the readers of the periodical "Rabochii energetik"
at the Molotov Chemical Plant. Rab.energ. 3 no.5:39-40 My '53. (MLRA 615)

1. Tekhnicheskaya biblioteka Molotovskogo Khimicheskogo Zavoda.
(Power engineering)

KOREISHA L.A., IRGER I.M. and TOLMASSKAIA E.S.

6289. Irger I.M. Koreisha L.A. and Tolmasskaia E.S. Electrical potentials of the human cerebellum Problems of Neurosurgery, Moscow 1949, 5 (34-38) Graphs 4

The use of skin electrodes for registration of the electrical activity of the cerebellum does not give reliable results, as the action potentials of the muscles and electrical activity of the occipital part of the cortex are picked up at the same time. In order to register the electrical activity of the cerebellum exclusively, use was made of insulated wire electrodes with only the point exposed. Each of these thin wires was inserted with the aid of an injection needle - serving as trocar - through the skin and muscles until it made contact with the skull; no anaesthesia was used. In this way it was possible to register typical electrocerebellograms from human subjects and animals. Three frequencies were detected: 170-220 per sec.; 30-50 per sec.; 6-8 per sec. Particulars are given of 2 clinical cases in which a tumour in a cerebellar hemisphere was diagnosed with the aid of this method.

Ten Cate - Amsterdam

KOREYSHA, L. A.

PA 48/49T53

USSR/Medicine - Brain, Physiology Mar/Apr 49
Medicine - Brain, Wounds and Injuries

"Biocies of a Human Brain Due to an Abrupt
Surgical Drainage," Prof L. A. Koreyshe,
V. Ye. Mayorchik, Inst of Neurosurg Iment Acad
-N. N. Burdenko, Acad Med Sci USSR, 7 pp

"Vop Neyrokhirurgii" Vol XIII, No 2

During an operation, the human brain reacts as
a whole to a trauma. A change of electrical
activity occurred in all parts of the cortex
examined, indicating that this reaction is not
limited to the zone of the pathological nidus.

48/49T53

USSR/Medicine - Brain, Physiology Mar/Apr 49
(Contd)

Administration of hexenal produced three changes
in electrical activity of the cortex: (1)
Phase during which alpha rhythm was increased,
(2) slow waves, and (3) grouping of slow waves
at intervals with pauses between groups. These
three phases differ according to the functional
change of the brain.

48/49T53

KOREYSHA, L.A.

Importance of Pavlov's theory for the program of neuro-
surgery. Vopr. neirokhir. 14 no.5:8-18 Sept-Oct 1950. (CLML 20:1)

1. Moscow.

KOROTYSHA, L.A.

Certain facts and perspectives of cortical and subcortical function tests in clinical neurosurgery. Zh. vysshei nerv. deiat., Pavlova
1 no. 1:86-98 Jan-Feb 1951.
(CLML 22:5)

IRGER, I.M.; KOREVSHA, L.A.; TOIMASSKAYA, E.S.

Investigation on the electric activity of phylogenetically different segments of the cerebellum in man and animal. Fiziol.zh.SSSR 37 no.3: 273-282. May-June 51.
(GLML 21:1)

1. Physiological Laboratory and the Third Clinical Division of the Institute of Neurosurgery imeni Academician N.N.Burdenko of the Academy of Medical Sciences USSR, Moscow.

KOREYSHA, L.A., professor.

Surgery of the vegetative nervous system according to modern concepts of physiology. Vopr.neirokhir. 18 no.1:88-95 Ja-F '54.
(MLRA 7:4)

1. Iz Instituta neyrokhirurgii im. akademika N.N.Burdenko Akademii meditsinskikh nauk SSSR.

(Nervous system, Sympathetic--Surgery)

KUREYSHA, LEONID ALEKSANDROVICH

KUREYSHA Leonid Aleksandrovich, prof.; BENYUMOV, O.M., redaktor;
GUBIN, M.I., tekhnicheskiy redaktor.

[Present status of brain surgery] Sovremennoe sostoyanie khirurgii
golovnogo mozga. Moskva, Izd-vo "Znanie," 1957. 39 p. (Vsesoyuznoe
obshchestvo po rasprostraneniю politicheskikh i nauchnykh sspanii.
Ser.8, no.34)

(BRAIN--SURGERY)

(MIRA 10:11)

USSR/Human and Animal Physiology (Normal and Pathological).
Nervous System. Human Electroencephalogram.

T

Abs Jour: Ref Zhur-Biol., No 17, 1958, 79997.

Author : Koreyshe, L.A.; Mayorchik, V. Ya.

Inst :

Title : Reaction of the Cerebral Cortex and Heart During
Operations of the Hypophysis and the Hypothalamus
Area.

Orig Pub: Byul. eksperim. biol. i med., 1957, 44, No 10, 39-44.

Abstract: Stimulation of the hypothalamus during removal of
tumors of the hypophysis, of the III ventricle and
the area of Turkish saddle caused a desynchroniza-
tion of rhythms and outbursts of sharp waves, es-
pecially clearly emitted during ether narcosis, on

Card : 1/2

IRGER, Iosif Markovich; KOREYSHA, L.A.; TOLMASSKAYA, E.S.

[Electrical activity of the human cerebellum under normal and pathological conditions] Elektricheskaya aktivnost' mozghechka cheloveka v norme i patologii. Moskva, Medgiz, 1959. 241 p.

(ELECTROPHYSIOLOGY)

(CEREBELLUM)

(MIRA 13:2)

MAYORCHIK, V.Ye.; KOREYSHA, L.A.; GABIBOV, G.A.

Characteristics of cortical reaction stimulation of lower
divisions of the brain stem during neurosurgical operations.
Fiziol.skur. 45 no.8:901-909 Ag '59. (MIRA 12:11)

1. From the M.N.Burdenko Research Institute of Neurosurgery,
Moscow.

(BRAIN STEM, physiology)
(CEREBRAL CORTEX, physiology)
(NEUROSURGERY)

KOREYSHA, L.A.; IRGER, I.M.

Physiological role of the n. jugularis n. sympathici in the innervation of the intraorbital muscles. Exophthalmos in tumors of the posterior cranial fossa. Vop. neurokhir. 24 no. 3:31-37 My-Je '60.

(BRAIN-TUMORS) (EXOPHTHALMOS) (NERVOUS SYSTEM, SYMPATHETIC) (MIRA 14:1)

KOREYSHA, L.A., zasluzhennyi deyatel', nauki, prof.

Great physiologist. Zdorov'e 7 no. 2:7-8 F '61.
(PAVLOV, IVAN PETROVICH, 1840-1936)

(MIRA 14:2)

IRGER, I.M., doktor med.nauk; KOREYSHA, L.A., prof. zasluzhennyi deyatel' nauki (Moskva)

Dynamics of exophthalmus in tumors of the posterior cranial fossa.
Vop.neirokhir. 25 no.1:13-16 Ja '61. (MIRA 14:2)

1. Institut neyrokhirurgii imeni akad. N.N. Burdenko AMN SSSR i
neyrokhirurgicheskoye otdeleniye klinicheskoy bol'nitsy imeni
S.P. Botkina.

(BRAIN—TUMORS)

(EXOPHTHALMUS)

KOREYSHA, L.A.; LINCHENKO, N.M.

Neurological analysis of the results of surgical treatment of
intracranial tumors of the left hemisphere of the brain. Zhur.
nevr. i psikh. 62 no.4:481-486 '62. (MIRA 15:5)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni institut
neyrokhirurgii imeni N.N.Burdenko AMN SSSR, Moskva.
(BRAIN-TUMORS) (BRAIN--SURGERY)

KOREYSHA, L.A., prof.; MASLENNIKOVA, V.V.; GREKHOV, V.V. (Moskva)

Trigeminal neuralgia in tumors of the hypophysis. Vop.neirokhir.
25 no.1:49-53 '62. (MIRA 15:1)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni
institut neyrokhirurgii imeni akad. N.N. Burdenko AMN SSSR.
(NEURALGIA, TRIGEMINAL) (PITUITARY BODY--TUMORS)

KOREYSHA, L.A., prof., zaslužennyy deyatel' nauki (Moskva)

Therapeutic principles in intracerebral tumors. Vop.neirokhir.
no.4:9-15 '61.

(MIRA 14:12)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni
institut neyrokhirurgii imeni akad. N.N. Burdenko AMN SSSR.
(BRAIN--TUMORS)